

# Notice of variation and consolidation with introductory note

**The Environmental Permitting (England & Wales) Regulations 2016**

---

Countrystyle Recycling Limited

Countrystyle Recycling Ridham Dock  
Kemsley Fields Business Park  
Ridham Dock Road  
Iwade  
Sittingbourne  
Kent  
ME9 8SR

**Variation application number**

EPR/XP3298HV/V012

**Permit number**

EPR/XP3298HV

# Countrystyle Recycling Ridham Dock

## Permit number EPR/XP3298HV

### Introductory note

#### **This introductory note does not form a part of the notice**

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. All the conditions of the permit have been varied and are subject to the right of appeal.

The variation is for:

- Extension of the site boundary to the north-west of the site;
- Addition of a clinical waste transfer station activity with associated EWC waste codes;
- Addition of a further RDF baling operation and associated plant;
- Addition of EWC waste codes; street-cleaning residues (20 03 03) and hazardous glass waste (19 12 11\*);
- Provision of storage and transfer of street-cleaning residues, metal, glass, and hazardous glass waste in external storage bays;
- Food waste storage within the RDF building;
- Amendments to current storage arrangements, notably within the Dry Mixed Recyclables (DMR) Materials Recovery Facility (MRF) building; and
- Increase the maximum quantity of waste accepted as part of activity A2 (RDF Production) from 160,000 t.p.a. to 180,000 t.p.a.

There is no change to the existing total annual tonnage 240,000 t.p.a. as a result of the variation. This variation has also undergone a Fire Prevention Plan Assessment and update of the Odour Management Plan.

Countrystyle Recycling Limited submitted a partial surrender and normal variation application for the Recycling Centre at Kemsley Fields Business Park, which is a neighbouring site. These applications have been assessed in tandem and this notice represents the varied consolidated permit, which incorporates land surrendered under EPR/DB3606LE/V003. The permitted tonnage remains at 245,000 t.p.a. but has been redistributed between the activities as detailed in Schedule 2. The waste management facility is now permitted to undertake the following activities (subject to meeting pre-operational conditions PO1, PO2 and PO3 where applicable):

- Dry Mixed Recyclables (DMR) Materials Recovery Facility (MRF)
- Refuse Derived Fuel (RDF) Production
- Non-Hazardous Transfer and Treatment including gypsum recycling, non-hazardous WEEE and End-of-Life Vehicles
- Hazardous Waste Transfer Operation including storage and transfer of WEEE and End-of-Life Vehicles
- Green Waste Transfer Operation

- Food Waste Transfer Operation
- Aqueous Liquid storage
- Clinical Waste Transfer Operation

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

<b>Status log of the permit</b>		
<b>Description</b>	<b>Date</b>	<b>Comments</b>
Permit determined EAWML 10367	27/11/2006	Permit issued to Countrystyle Recycling Limited.
Variation determined EAWML 10367	01/09/2008	Permit varied to add waste types.
Application EPR/XP3298HV/V003 (variation and consolidation)	Duly made 03/12/2010	Application to vary and update the permit to modern conditions.
Variation determined EPR/XP3298HV/V003	02/03/2011	Varied permit issued.
Application EPR/XP3298HV/V004 (variation)	Duly made 21/01/2012	Application to add an additional waste type
Variation determined EPR/XP3298HV/V004	13/02/2012	Administrative variation issued.
Application EPR/XP3298HV/V005 (variation)	Duly made 14/05/2013	Application to add an additional waste code, update their operating procedures and add a section to their risk assessment.
Variation determined EPR/XP3298HV/V005	16/07/2013	Varied permit issued.
Application EPR/XP3298HV/V006	Duly made 06/09/2013	Administrative variation to add waste code 19 12 12.
Variation determined EPR/XP3298HV/V006	11/10/2013	Varied permit issued.
Application EPR/XP3298HV/V007 (variation and consolidation)	Duly made 20/01/2015	Increase annual waste tonnage and revise EWC code tables. Consolidation of previous permit variations.
Additional information requested	04/02/2015	Fire Management Plan and clarification of EWC codes.
Additional information received	10/02/2015	
Variation determined EPR/XP3298HV/V007	04/03/2015	Varied permit issued.
Application EPR/XP3298HV/V008 (variation and consolidation)	Duly made 19/09/2014	Application to vary and update the permit to modern conditions.
Variation determined EPR/XP3298HV/V008	19/04/2016	Varied and consolidated permit issued in modern condition format.

Status log of the permit		
Description	Date	Comments
Application EPR/XP3298HV/V009 (partial surrender, variation & consolidation)	Duly made 01/02/2018	Application to surrender IVC activity and add waste activities.
Additional Information requested	27/03/2018	Schedule 5 request for additional information on processes, storage, site plan and FPP.
Additional information received	27/06/2018 08/08/2018	Updated OTs, process flow diagrams and site layout plans. Fire Prevention Plan updated and supporting documentation revisions.
Variation determined EPR/XP3298HV/V009 (Billing ref: EAWML 10367)	28/09/2018	Varied and consolidated permit issued in modern condition format.
Application EPR/XP3298HV/V010	Duly made 21/12/2018	Application to vary and update the permit to modern conditions.
Additional information received	02/04/2019	Fire Prevention Plan updated and supporting documentation revisions.
Additional information received	15/05/2019 05/06/2019 18/06/2019	Fire Prevention Plan updated and supporting documentation revisions.
Variation determined EPR/XP3298HV/V010	26/06/2019	Varied permit issued.
Notified of change of registered office address	29/04/2021	Registered office address changed to Ridham Dock, Ridham Dock Road, Iwade, Sittingbourne, Kent, ME9 8SR.
Variation issued EPR/XP3298HV/V011	18/05/2021	Varied permit issued to Countrystyle Recycling Limited.
Application EPR/XP3298HV/V012 (variation and consolidation)	Duly made 9/9/2024	Application to add Clinical Waste Transfer Station and Material Recycling Facility waste activities. Plus boundary extension of additional land by transfer from neighbouring permit.
Additional information received	13/03/2025	Schedule 5 response email and Appendices for Fire Prevention Plan.
Additional information received	01/04/2025	Supporting documents revisions of Site Layout Plan, Non-Technical Summary and Operating Techniques V3.
Additional information received	28/04/2025	Fire Prevention Plan V16 updated and site layout plan of fire management, detection and suppression Revision 6.
Additional information received	30/04/2025	Updated Odour Management Plan V9.
Variation determined EPR/XP3298HV	16/05/2025	Varied and consolidated permit issued.

End of introductory note

# Notice of variation and consolidation

## The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies

### Permit number

**EPR/XP3298HV**

### Issued to

**Countrystyle Recycling Limited** ("the operator")

whose registered office is

**Ridham Dock  
Ridham Dock Road  
Iwade  
Sittingbourne  
Kent  
ME9 8SR**

company registration number 05103813

to operate a regulated facility at

**Countrystyle Recycling Ridham Dock  
Kemsley Fields Business Park  
Ridham Dock Road  
Iwade  
Sittingbourne  
Kent  
ME9 8SR**

to the extent set out in the schedules.

The notice shall take effect from 16/05/2025

Name	Date
Janet Robb	16/05/2025

Authorised on behalf of the Environment Agency

## **Schedule 1**

All conditions have been varied by the consolidated permit as a result of the application made by the operator.

## **Schedule 2 – consolidated permit**

Consolidated permit issued as a separate document.

# Permit

## The Environmental Permitting (England and Wales) Regulations 2016

### Permit number

**EPR/XP3298HV**

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/XP3298HV/V012 authorising,

**Countrystyle Recycling Limited** ("the operator"),

whose registered office is

**Ridham Dock  
Ridham Dock Road  
Iwade  
Sittingbourne  
Kent  
ME9 8SR**

company registration number 05103813

to operate waste operations at

**Countrystyle Recycling Ridham Dock  
Kemsley Fields Business Park  
Ridham Dock Road  
Iwade  
Sittingbourne  
Kent  
ME9 8SR**

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Janet Robb	16/05/2025

Authorised on behalf of the Environment Agency

# Conditions

## 1 Management

### 1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
  - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme [or other approval issued by the Environment Agency].

### 1.2 Avoidance, recovery and disposal of wastes produced by the activities

- 1.2.1 The operator shall take appropriate measures to ensure that:
- (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
  - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
  - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.
- 1.2.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

## 2 Operations

### 2.1 Permitted activities

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the “activities”).

### 2.2 The site

- 2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

### 2.3 Operating techniques

- 2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.

- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation ("plan") specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.3 Waste shall only be accepted if:
- (a) it is of a type and quantity listed in schedule 2, tables S2.2, S2.3, S2.4, S2.5, S2.6, S2.7, S2.8 & S2.9;
  - and
  - (b) it conforms to the description in the documentation supplied by the producer and holder.
- 2.3.4 Any raw materials or fuels listed in schedule 2 table S2.1 shall conform to the specifications set out in that table.

## **2.4 Improvement programme**

- 2.4.1 The operator shall complete the improvements specified in schedule 1, table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.
- 2.4.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

## **2.5 Pre-operational conditions**

- 2.5.1 The operations specified in schedule 1, table S1.4 shall not commence until the measures specified in that table have been completed.

## **2.6 Technical requirements**

### **Vehicle depollution and dismantling**

- 2.6.1 As a minimum, all ELVs shall be treated to the standards specified in table S1.5.

### **WEEE storage**

- 2.6.2 Spillage collection facilities and, where appropriate, decanters and cleanser-degreasers shall be provided and used as necessary.
- 2.6.3 WEEE, disassembled spare parts, components and residues shall be stored in areas provided with a weatherproof covering where appropriate or in containers providing a weatherproof covering where appropriate.

### **Hazardous waste storage**

- 2.6.4 Hazardous waste shall not be mixed, either with a different category of hazardous waste or with other waste, substances or materials, unless it is authorised by schedule 1 table S1.1 and appropriate measures are taken.

## **3 Emissions and monitoring**

### **3.1 Emissions to water, air or land**

- 3.1.1 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 tables S3.1
- 3.1.2 The limits given in schedule 3 shall not be exceeded.
- 3.1.3 Periodic monitoring shall be carried out at least once every 5 years for groundwater and 10 years for soil, unless such monitoring is based on a systematic appraisal of the risk of contamination.

## **3.2 Emissions of substances not controlled by emission limits**

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
  - (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
  - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

## **3.3 Odour**

- 3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.
- 3.3.2 The operator shall:
  - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;
  - (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

## **3.4 Noise and vibration**

- 3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.
- 3.4.2 The operator shall:
  - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;

- (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

### **3.5 Monitoring**

- 3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring specified in the following tables in schedule 3 to this permit:
  - (a) point source emissions specified in tables S3.1.
- 3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.5.3 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme and the environmental or other monitoring specified in condition 2.10.1 shall have either MCERTS certification or MCERTS accreditation (as appropriate), where available, unless otherwise agreed in writing by the Environment Agency.
- 3.5.4 Permanent means of access shall be provided to enable sampling/monitoring to be carried out in relation to the emission points specified in schedule 3 tables S3.1 unless otherwise agreed in writing by the Environment Agency.

### **3.6 Pests**

- 3.6.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.
- 3.6.2 The operator shall:
  - (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution, hazard or annoyance from pests;
  - (b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

### **3.7 Fire prevention**

- 3.7.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.

## **4 Information**

### **4.1 Records**

- 4.1.1 All records required to be made by this permit shall:
  - (a) be legible;
  - (b) be made as soon as reasonably practicable;
  - (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and

(d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:

- (i) off-site environmental effects; and
- (ii) matters which affect the condition of the land and groundwater.

4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

## 4.2 Reporting

4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency

4.2.2 Within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

## 4.3 Notifications

4.3.1 The Environment Agency shall be notified without delay following the detection of:

- (a) any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution;
- (b) the breach of a limit specified in the permit; or
- (c) any significant adverse environmental effects.

4.3.2 Any information provided under condition 3.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.

4.3.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

In any other case:

- (a) the death of any of the named operators (where the operator consists of more than one named individual);
- (b) any change in the operator's name(s) or address(es); and

- (c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

- (a) the Environment Agency shall be notified at least 14 days before making the change; and
- (b) the notification shall contain a description of the proposed change in operation.

## **4.4 Interpretation**

4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.

4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made “without delay”, in which case it may be provided by telephone.

# Schedule 1 – Operations

Table S1.1 Activities		
Activity Reference	Description of activities for waste operations	Limits of activities
A1 Dry Mixed Recyclables MRF	<p>R3: Recycling/ reclamation of organic substances which are not used as solvents</p> <p>R4: Recycling/ reclamation of metals and metal compounds</p> <p>R5: Recycling/ reclamation of other inorganic substances</p> <p>R13: Storage of wastes pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)</p>	<p>Waste types as specified in Table S2.2.</p> <p>The treatment of waste shall only take place within a building and on an area of impermeable surfacing with sealed drainage.</p> <p>Treatment operations shall be limited to physical treatment including manual sorting, separation, screening, baling, shredding and compaction for the purpose of producing separate streams for recovery.</p> <p>The storage of loose waste outside shall only take place within fully sealed and covered containers or within covered containers stored on an area of impermeable surfacing with sealed drainage.</p> <p>Bales outside shall only be stored on areas of impermeable surfacing with sealed drainage.</p>
A2 Refuse Derived Fuel Production	<p>R3: Recycling/ reclamation of organic substances which are not used as solvents</p> <p>R4: Recycling/ reclamation of metals and metal compounds</p> <p>R5: Recycling/ reclamation of other inorganic substances</p> <p>R13: Storage of wastes pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)</p>	<p>Waste types as specified in Table S2.3.</p> <p>The storage of waste prior to treatment shall only take place within a building and on an area of impermeable surfacing with sealed drainage.</p> <p>The treatment of waste shall only take place within a building and on an impermeable surface with sealed drainage.</p> <p>The storage of waste outside shall consist only of processed baled and wrapped waste. Bales shall only be stored on areas of impermeable surfacing with sealed drainage.</p> <p>Treatment operations shall be limited to physical treatment including manual sorting, separation, screening, baling, shredding and compaction for the purpose of producing Refuse Derived Fuel for recovery.</p>
A3	R3: Recycling/ reclamation of organic substances which are not used as solvents	Waste types as specified in Table S2.4 (non-hazardous waste only).

Table S1.1 Activities		
Activity Reference	Description of activities for waste operations	Limits of activities
Non-Hazardous Transfer and Treatment operation (including gypsum-based waste storage, non-hazardous WEEE and End-of-Life Vehicles (and components of)).	<p>R4: Recycling/ reclamation of metals and metal compounds</p> <p>R5: Recycling/ reclamation of other inorganic substances</p> <p>R13: Storage of wastes pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)</p> <p>D9: Physico-chemical treatment not specified elsewhere in this Annex which results in final compounds or mixtures which are discarded by means of any of the operations numbered D1 to D12</p> <p>D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where it is produced)</p>	<p>Treatment of non-hazardous WEEE and End-of-Life Vehicles consisting only of manual sorting or manual separation of waste into different components for disposal (no more than 50 tonnes per day) or recovery.</p> <p>No more than 150 intact waste vehicle tyres (waste code 16 01 03) shall be stored at the site at any one time.</p> <p>Treatment of non-hazardous waste is limited to manual and mechanical sorting (mechanical sorting is limited to the use of a grab or similar) and bulking.</p> <p>The treatment and storage of non-hazardous waste (other than gypsum-based waste) shall only take place on areas of impermeable surfacing with sealed drainage or within a building.</p> <p>The maximum quantity of metal waste stored outside shall not exceed 500 tonnes at any one time.</p> <p>The storage of gypsum-based wastes shall only take place within a building and on impermeable surfacing with sealed drainage.</p>
A4 Hazardous Waste Transfer Operation including storage and transfer of WEEE and End-of-Life Vehicles, and batteries.	<p>R13: Storage of wastes pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)</p> <p>D14: Repackaging prior to submission to any of the operations numbered D1 to D13</p> <p>D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where it is produced)</p>	<p>Waste types as specified in Table S2.5 (hazardous waste only).</p> <p>The aggregated maximum quantity of hazardous waste that can be accepted or stored at the site shall not exceed 50 tonnes at any one time.</p> <p>The storage and transfer of hazardous waste shall only take place on areas of impermeable surfacing with sealed drainage.</p> <p>Buildings, covered areas or containers shall meet the following requirements:</p> <ul style="list-style-type: none"> <li>- buildings, covered areas, or containers shall be designed, constructed and maintained to prevent ingress of rain and surface water;</li> </ul>

Table S1.1 Activities		
Activity Reference	Description of activities for waste operations	Limits of activities
		<ul style="list-style-type: none"> <li>- rain and uncontaminated surface water shall be kept separate from contaminated water and other liquids;</li> <li>- containers containing waste (excluding uncontaminated metal waste) shall be stored on an impermeable surface with sealed drainage system.</li> </ul> <p>Hazardous waste glass received under code 19 12 11* for storage and bulking up only must be stored in a sealed and covered bay with self-contained drainage.</p> <p>There shall be no treatment of lead acid batteries, other than sorting and separating from other wastes, and repackaging for third party processing.</p> <p>Lead acid batteries shall be stored in containers with an impermeable, acid resistant base and a lid that prevents ingress of water.</p>
A5 Green Waste Transfer Operation	R13: Storage of wastes pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)	<p>Waste types as specified in Table S2.6.</p> <p>The storage of waste shall only take place within a bay located on impermeable surfacing with sealed drainage or within a building.</p> <p>The total quantity of waste within the bay shall not exceed 100 tonnes.</p>
A6 Food and Co-Mingled Food/Green Waste Transfer Operation	<p>R13: Storage of wastes pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)</p> <p>D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where it is produced)</p>	<p>Waste types as specified in Table S2.7.</p> <p>The storage of waste shall take place within a building on impermeable surfacing and sealed drainage.</p> <p>The total quantity of food and co-mingled food/green waste shall not exceed 150 tonnes at any one time.</p>
A7 Aqueous Liquid Storage	<p>R13: Storage of wastes pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)</p> <p>D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where it is produced)</p>	<p>Waste types as specified in Table S2.8.</p> <p>All liquid waste shall be stored in containers that are fit for purpose.</p> <p>All storage and process tanks shall be located on an impermeable surface with sealed construction joints within a bunded area. The bunded area shall have a</p>

Table S1.1 Activities		
Activity Reference	Description of activities for waste operations	Limits of activities
		capacity at least 110% of the largest vessel or 25% of the total tankage volume, whichever is the greater.
A8 Surface water collection and storage	Collection and storage of roof run-off and site surface water in storage tanks	<p>Collected uncontaminated surface waters and uncontaminated site surface waters from non-operational areas only for re-use within the facility or discharge off site.</p> <p>Process waters and contaminated site surface waters shall be collected and dispatched off-site for treatment at a suitability permitted facility.</p> <p>There shall be no discharge of process or contaminated site surface waters into controlled waters.</p>
A9 Clinical Waste Transfer	<p>A9 a- Repackaging of waste</p> <p>R12: Exchange of waste for submission to any of the operations numbered R1 to R11</p> <p>D14: Repackaging prior to submission to any of the operations numbered D1 to D13</p> <p>A9 b- Storage</p> <p>R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)</p> <p>D15 Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced)</p>	<p>No more than 10 tonnes per day of hazardous waste shall be repackaged.</p> <p>Repackaging is limited to:</p> <ul style="list-style-type: none"> <li>taking a waste package (for example a bag, drum or box) out of one cart or bulk container (for example a skip) and placing it into another cart or bulk container (for example, a skip)</li> <li>taking a waste package from a cart or bulk container (for example, skip) and placing it onto a pallet or vehicle</li> <li>taking a waste package from a pallet and placing it into a cart or bulk container (for example, skip)</li> </ul> <p>Repackaging shall take place within a building on an impermeable surface with sealed drainage.</p> <p>Repackaging of waste shall not change either the maximum storage times for waste on site or the amount that can be stored.</p> <p>From receipt and storage of hazardous and non-hazardous waste on site to its repackaging on site or its transfer off-site.</p> <p>All waste shall be stored inside a building on an impermeable surface with sealed drainage.</p>

Table S1.1 Activities		
Activity Reference	Description of activities for waste operations	Limits of activities
		<p>Pharmaceutical, chemical, anatomical and palletised waste shall be stored securely within designated areas of a building.</p> <p>The combined amount of hazardous waste stored on site at any one time shall not exceed 50 tonnes.</p> <p>Waste shall not be stored in vehicles or vehicle trailers, unless they are being received for immediate offloading or prepared for imminent transfer (that is, they will be removed from site within 24 hours, or 72 hours if over a weekend).</p> <p>Infectious clinical waste and non-infectious offensive waste shall be stored for no longer than 14 days.</p> <p>Unrefrigerated anatomical waste shall be stored for no longer than 24 hours, or up to 72 hours if over a weekend.</p> <p>The following waste types shall be stored on site for no longer than 6 months:</p> <ul style="list-style-type: none"> <li>• non-infectious medicines (including cytotoxic and cytostatic medicines)</li> <li>• dental amalgam</li> <li>• other chemicals or other wastes</li> </ul> <p>Notwithstanding the limits given above where a shorter storage time period is given in an agreed management plan then that time period shall take precedence.</p> <p>No waste types shall be submitted to this activity other than those wastes specified in Schedule 2, Table S2.9.</p>

Table S1.2 Operating techniques		
Description	Parts	Date Received
Healthcare waste: appropriate measures for permitted facilities  Version published 13 July 2020	All relevant parts of the Non-hazardous and inert waste: appropriate measures for permitted facilities guidance shall apply.	N/A
Chemical waste: appropriate measures for permitted facilities	All relevant parts of the Chemical waste: appropriate measures for permitted facilities guidance shall apply.	N/A

<b>Table S1.2 Operating techniques</b>		
<b>Description</b>	<b>Parts</b>	<b>Date Received</b>
Version published 18 November 2020		
Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities  Version published 13 July 2022	All relevant parts of the Waste electrical and electronic equipment (WEEE): appropriate measures for permitted facilities guidance shall apply.	N/A
Non-hazardous and inert waste: appropriate measures for permitted facilities guidance  Published version 21 July 2021 Updated version 1 August 2023	All relevant parts of the Non-hazardous and inert waste: appropriate measures for permitted facilities guidance shall apply.	N/A
Approved Fire Prevention Plan V16 and supporting documents	Appendices for Fire Prevention Plan and Site Drainage Plan (Appendix J Drawing 1).  Fire Prevention Plan V16 and Site Layout Plan of fire management, detection and suppression Revision 6.	13/03/2025  28/04/2025
Supporting documents revisions	Site Layout Plan and Operating Techniques V3.	01/04/2025
Odour Management Plan V9	Approved Odour Management Plan.	30/04/2025

<b>Table S1.3 Improvement programme requirements</b>		
<b>Reference</b>	<b>Requirement</b>	<b>Date</b>
IC1	<p>The operator shall develop and submit a fire prevention plan to the Environment Agency in writing. The plan shall take into account the required information as specified in the Environment Agency's technical guidance, Fire prevention plans (version 2, dated March 2015). The appropriate measures for fire prevention shall include:</p> <ul style="list-style-type: none"> <li>the management of storage of feedstock, product and/or waste piles</li> <li>measures to prevent, detect and contain fires; and</li> <li>the management of fire waters.</li> </ul> <p>The procedures/management plan must include measures for the storage and handling of all combustible waste on site. The submission must contain dates for the implementation of individual measures.</p> <p>The operator shall implement the procedures and measures in accordance with the Environment Agency's written approval.</p>	Completed 08/08/2018
IC2	The operator shall submit a revised odour management plan to the Environment Agency for written approval. The plan shall take into account the appropriate measures for odour control specified in section 2.2.6 of Sector Guidance Note IPPC S5.06 – Guidance for the Treatment	Completed 02/11/2017

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
	of Hazardous and Non Hazardous Waste. The plan shall also incorporate all the required detailed information as specified in the Environment Agency's Horizontal Guidance H4 – Odour Management. The plan must contain dates for implementation of individual measures.	
IC3	The operator shall submit operational procedures/management plan for the gypsum recovery operations for written approval. The procedures shall include waste acceptance, storage, handling, treatment and onward transfer in accordance with Sector Guidance Note IPPC S5.06 – Guidance for the Treatment of Hazardous and Non Hazardous Waste and other relevant best practice guidance.	Completed 27/06/2018
IC4	The operator shall submit Fire Suppression Commissioning and sign off certificates to the Environment Agency.	Completed 03/12/2018

Table S1.4 Pre-operational measures for future operations		
Reference	Operation	Pre-operational Measures
PO1	Non-hazardous WEEE and End-of Life Vehicles (and components)	<p>Prior to accepting non-hazardous WEEE and End-of-Life vehicles (and components of) listed in Table S2.4, S2.5 and S2.6, the Operator shall produce, and submit for approval and subsequent implementation, written procedures (and any amendments to them) revised Fire Prevention Plan and appropriate risk assessments that satisfy relevant best practice guidance.</p> <p>Non-hazardous WEEE and End-of-Life vehicles shall not be accepted unless the Environment Agency has given prior written permission under this condition.</p>
PO2	Hazardous waste storage and transfer	<p>Prior to accepting hazardous waste for storage and transfer operations as listed in Tables S2.5, S2.6 and S2.7, the Operator shall produce, and submit for approval and subsequent implementation, written procedures (and any amendments to them), revised Fire Prevention Plan and appropriate risk assessments that satisfy Sector Guidance Note IPPC S5.06 – Guidance for the Treatment of Hazardous and Non Hazardous Waste and other relevant best practice guidance.</p> <p>Non-hazardous WEEE and End-of-Life vehicles shall not be accepted unless the Environment Agency has given prior written permission under this condition.</p>
PO3	Acceptance of aqueous liquid waste listed in Table S2.8 for storage in Aqueous Waste Liquid Storage Tank	<p>The operator shall ensure that a review of the design, method of construction and integrity of the proposed tank(s) and secondary containment is carried out by an independent qualified structural engineer.</p> <p>The review shall include assessment of:</p> <ul style="list-style-type: none"> <li>- the physical condition of the secondary containment</li> <li>- the calculations to demonstrate adequate containment in the event of tank failure</li> </ul>

Table S1.4 Pre-operational measures for future operations		
Reference	Operation	Pre-operational Measures
		<ul style="list-style-type: none"> <li>- demonstration the secondary containment satisfies the requirements of CIRIA c736 and SGN5.06</li> <li>- the physical condition of the tank; to include testing of the integrity of the shell, base and roof in accordance with relevant industry standards</li> <li>- demonstration the storage tank(s) are fit for the storage of waste listed in table S2.8</li> <li>- any work required to ensure compliance with an appropriate industry standard; and</li> <li>- a preventative maintenance and inspection regime</li> </ul> <p>A written report of the review shall be submitted to the Environment Agency detailing the review's findings and recommendations. Remedial action shall be taken to ensure that the proposed secondary containment and tank(s) meet the standards set out in any appropriate industry standard and the maintenance and inspection regime is implemented.</p> <p>Aqueous liquids shall not be accepted unless the Environment Agency has given prior written permission under this condition.</p>
PO4	Use of discharge point W1	<p>Prior to discharging via emission point W1 the Operator shall undertake a review of the design and integrity of the sealed drainage system. This must be carried out by an independent qualified engineer.</p> <p>The operator shall submit a report to the Environment Agency for written approval detailing the findings and recommendations of the review along with timescales for undertaken required remedial actions identified in the report.</p> <p>The operator shall carry out the remedial actions identified in the report within the timescales approved by the Environment Agency.</p>

Table S1.5 ELV Treatment minimum technical requirements
<p>1. Treatment operations for depollution of end-of-life vehicles:</p> <ul style="list-style-type: none"> <li>• removal of batteries and liquefied gas tanks,</li> <li>• removal or neutralisation of potential explosive components, (e.g. air bags), removal and separate collection and storage of fuel, motor oil, transmission oil, gearbox oil, hydraulic oil, cooling liquids, antifreeze, brake fluids, air-conditioning system fluids and any other fluid contained in the end-of-life vehicle, unless they are necessary for the re-use of the parts concerned,</li> <li>• removal, as far as feasible, of all components identified as containing mercury.</li> </ul> <p>2. Treatment operations in order to promote recycling:</p> <ul style="list-style-type: none"> <li>• removal of catalysts,</li> <li>• removal of metal components containing copper, aluminium and magnesium if these metals are not segregated in the shredding process,</li> </ul>

<b>Table S1.5 ELV Treatment minimum technical requirements</b>	
•	removal of tyres, glass and large plastic components (bumpers, dashboard, fluid containers, etc), if these materials are not segregated in the shredding process in such a way that they can be effectively recycled as materials.

## Schedule 2 – Waste types, raw materials and fuels

Table S2.1 Raw materials and fuels	
Raw materials and fuel description	Specification
Fuel oil	Sulphur content not exceeding 0.1% by mass

Table S2.2 Waste types and quantities for DMR MRF (Activity A1)	
<b>Maximum quantity</b>	The total quantity of non-hazardous waste accepted under activity A1, shall not exceed 40,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Waste code</b>	<b>Description</b>
<b>15</b>	<b>Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified</b>
<b>15 01</b>	<b>packaging (including separately collected municipal packaging waste)</b>
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 07	glass packaging
15 01 09	textile packaging
<b>17</b>	<b>Construction and demolition wastes (including excavated soil from contaminated sites)</b>
<b>17 02</b>	<b>wood, glass and plastic</b>
17 02 03	plastic
<b>19</b>	<b>Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use</b>
<b>19 12</b>	<b>wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified</b>
19 12 01	paper and cardboard
19 12 02	ferrous metal
19 12 03	non-ferrous metal
19 12 04	plastic and rubber
19 12 05	glass
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11 (dry, mixed recyclables only)
<b>20</b>	<b>Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions</b>
<b>20 01</b>	<b>separately collected fractions (except 15 01)</b>
20 01 01	paper and cardboard

<b>Table S2.2 Waste types and quantities for DMR MRF (Activity A1)</b>	
<b>Maximum quantity</b>	The total quantity of non-hazardous waste accepted under activity A1, shall not exceed 40,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Waste code</b>	<b>Description</b>
20 01 02	glass
20 01 10	clothes
20 01 11	textiles
20 01 38	wood other than that mentioned in 20 01 37
20 01 39	plastics
20 01 40	Metals
<b>20 03</b>	<b>other municipal wastes</b>
20 03 01	mixed municipal waste (dry mixed recyclables only)
20 03 02	waste from markets (dry mixed recyclables only)

<b>Table S2.3 Waste types and quantities for Refuse Derived Fuel Production (Activity A2)</b>	
<b>Maximum quantity</b>	The total combined quantity of non-hazardous waste accepted under activities A2 and A3, shall not exceed 180,000 tonnes a year. Gypsum-based waste shall not exceed 20,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Waste code</b>	<b>Description</b>
<b>03</b>	<b>Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard</b>
<b>03 03</b>	<b>wastes from pulp, paper and cardboard production and processing</b>
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard
<b>04</b>	<b>Wastes from the leather, fur and textile industries</b>
<b>04 02</b>	<b>wastes from the textile industry</b>
04 02 22	wastes from processed textile fibres
<b>15</b>	<b>Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified</b>
<b>15 01</b>	<b>packaging (including separately collected municipal packaging waste)</b>
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 06	mixed packaging
15 01 09	textile packaging
<b>17</b>	<b>Construction and demolition wastes (including excavated soil from contaminated sites)</b>
<b>17 02</b>	<b>wood, glass and plastic</b>
17 02 01	wood
17 02 03	plastic
<b>19</b>	<b>Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use</b>

<b>Table S2.3 Waste types and quantities for Refuse Derived Fuel Production (Activity A2)</b>	
<b>Maximum quantity</b>	The total combined quantity of non-hazardous waste accepted under activities A2 and A3, shall not exceed 180,000 tonnes a year. Gypsum-based waste shall not exceed 20,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Waste code</b>	<b>Description</b>
<b>19 02</b>	<b>wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)</b>
19 02 10	combustible wastes other than those mentioned in 19 02 08 and 19 02 09
<b>19 12</b>	<b>wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified</b>
19 12 01	paper and cardboard
19 12 04	plastic and rubber
19 12 07	wood other than that mentioned in 19 12 06
19 12 08	textiles
19 12 10	combustible waste (refuse derived fuel)
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11
<b>20</b>	<b>Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions</b>
<b>20 01</b>	<b>separately collected fractions (except 15 01)</b>
20 01 01	paper and cardboard
20 01 08	biodegradable kitchen and canteen waste
20 01 10	clothes
20 01 11	textiles
20 01 38	wood other than that mentioned in 20 01 37
20 01 39	plastics
<b>20 03</b>	<b>other municipal wastes</b>
20 03 01	mixed municipal waste
20 03 07	bulky waste

<b>Table S2.4 Waste types and quantities for non-hazardous waste transfer and treatment (Activity A3)</b>	
<b>Maximum quantity</b>	The total combined quantity of non-hazardous waste accepted under activities A2 and A3, shall not exceed 180,000 tonnes a year. Gypsum-based waste shall not exceed 20,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: - consisting solely or mainly of dusts (except sawdust), powders, or loose fibres; - wastes that are malodorous
<b>Waste code</b>	<b>Description</b>
<b>02</b>	<b>Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing</b>
<b>02 01</b>	<b>wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing</b>
02 01 01	sludges from washing and cleaning
02 01 04	waste plastics (except packaging)
02 01 09	agrochemical waste other than those mentioned in 02 01 08
<b>03</b>	<b>Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard</b>
<b>03 01</b>	<b>wastes from wood processing and the production of panels and furniture</b>
03 01 01	waste bark and cork
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04
<b>04</b>	<b>Wastes from the leather, fur and textile industries</b>
<b>04 02</b>	<b>wastes from the textile industry</b>
04 02 22	wastes from processed textile fibres
<b>10</b>	<b>Wastes from thermal processes</b>
<b>10 11</b>	<b>wastes from manufacture of glass and glass products</b>
10 11 03	waste glass-based fibrous materials
<b>12</b>	<b>Wastes from shaping and physical and mechanical surface treatment of metals and plastics</b>
<b>12 01</b>	<b>wastes from shaping and physical and mechanical surface treatment of metals and plastics</b>
12 01 17	waste blasting material other than those mentioned in 12 01 16
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20
<b>15</b>	<b>Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified</b>
<b>15 01</b>	<b>packaging (including separately collected municipal packaging waste)</b>
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 07	glass packaging

<b>Table S2.4 Waste types and quantities for non-hazardous waste transfer and treatment (Activity A3)</b>	
<b>Maximum quantity</b>	The total combined quantity of non-hazardous waste accepted under activities A2 and A3, shall not exceed 180,000 tonnes a year. Gypsum-based waste shall not exceed 20,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: - consisting solely or mainly of dusts (except sawdust), powders, or loose fibres; - wastes that are malodorous
<b>Waste code</b>	<b>Description</b>
15 01 09	textile packaging
<b>15 02</b>	<b>absorbents, filter materials, wiping cloths and protective clothing</b>
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
<b>16</b>	<b>Wastes not otherwise specified in the list</b>
<b>16 01</b>	<b>end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)</b>
16 01 03	end-of-life tyres
<b>16 02</b>	<b>wastes from electrical and electronic equipment</b>
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15
<b>16 03</b>	<b>off-specification batches and unused products</b>
16 03 06	organic wastes other than those mentioned in 16 03 05
<b>16 06</b>	<b>batteries and accumulators</b>
16 06 04	alkaline batteries (except 16 06 03)
16 06 05	other batteries and accumulators
<b>17</b>	<b>Construction and demolition wastes (including excavated soil from contaminated sites)</b>
<b>17 01</b>	<b>Concrete, bricks and ceramics</b>
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
<b>17 02</b>	<b>wood, glass and plastic</b>
17 02 01	wood
17 02 02	glass
17 02 03	plastic
<b>17 03</b>	<b>bituminous mixtures, coal tar and tarred products</b>
17 03 02	bituminous mixtures other than those mentioned in 17 03 01
<b>17 04</b>	<b>metals (including their alloys)</b>
17 04 01	copper, bronze, brass
17 04 02	aluminium

<b>Table S2.4 Waste types and quantities for non-hazardous waste transfer and treatment (Activity A3)</b>	
<b>Maximum quantity</b>	The total combined quantity of non-hazardous waste accepted under activities A2 and A3, shall not exceed 180,000 tonnes a year. Gypsum-based waste shall not exceed 20,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: - consisting solely or mainly of dusts (except sawdust), powders, or loose fibres; - wastes that are malodorous
<b>Waste code</b>	<b>Description</b>
17 04 03	lead
17 04 04	zinc
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals
17 04 11	cables other than those mentioned in 17 04 10
<b>17 05</b>	<b>soil (including excavated soil from contaminated sites), stones and dredging spoil</b>
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 08	track ballast other than those mentioned in 17 05 07
<b>17 06</b>	<b>insulation materials and asbestos-containing construction materials</b>
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03
<b>17 08</b>	<b>gypsum-based construction material</b>
17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01
<b>17 09</b>	<b>other construction and demolition wastes</b>
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
<b>19</b>	<b>Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use</b>
<b>19 01</b>	<b>wastes from incineration or pyrolysis of waste</b>
19 01 02	ferrous materials removed from bottom ash
<b>19 02</b>	<b>wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)</b>
19 02 10	combustible wastes other than those mentioned in 19 02 08 and 19 02 09
<b>19 12</b>	<b>wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified</b>
19 12 01	paper and cardboard
19 12 02	ferrous metal
19 12 03	non-ferrous metal
19 12 04	plastic and rubber
19 12 05	glass
19 12 07	wood other than that mentioned in 19 12 06
19 12 08	textiles
19 12 09	minerals (for example sand, stones)

<b>Table S2.4 Waste types and quantities for non-hazardous waste transfer and treatment (Activity A3)</b>	
<b>Maximum quantity</b>	The total combined quantity of non-hazardous waste accepted under activities A2 and A3, shall not exceed 180,000 tonnes a year. Gypsum-based waste shall not exceed 20,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Exclusions</b>	Wastes having any of the following characteristics shall not be accepted: - consisting solely or mainly of dusts (except sawdust), powders, or loose fibres; - wastes that are malodorous
<b>Waste code</b>	<b>Description</b>
19 12 10	combustible waste (refuse derived fuel)
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11
<b>20</b>	<b>Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions</b>
<b>20 01</b>	<b>separately collected fractions (except 15 01)</b>
20 01 01	paper and cardboard
20 01 02	glass
20 01 08	biodegradable kitchen and canteen waste
20 01 10	clothes
20 01 11	textiles
20 01 28	paint, inks, adhesives and resins other than those mentioned in 20 01 27
20 01 34	batteries and accumulators other than those mentioned in 20 01 33
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 38	wood other than that mentioned in 20 01 37
20 01 39	plastics
20 01 40	metals
<b>20 02</b>	<b>garden and park wastes (including cemetery waste)</b>
20 02 02	soil and stones
<b>20 03</b>	<b>other municipal wastes</b>
20 03 01	mixed municipal waste
20 03 03	street-cleaning residues
20 03 07	bulky waste

<b>Table S2.5 Waste types and quantities for hazardous waste transfer (Activity A4)</b>	
<b>Maximum quantity</b>	The total quantity of hazardous waste to be accepted for bulking and transfer under activity A4 shall not exceed 10,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Waste Code</b>	<b>Description</b>
<b>15</b>	<b>Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified</b>
<b>15 02</b>	<b>absorbents, filter materials, wiping cloths and protective clothing</b>
15 02 02*	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

<b>Table S2.5 Waste types and quantities for hazardous waste transfer (Activity A4)</b>	
<b>Maximum quantity</b>	The total quantity of hazardous waste to be accepted for bulking and transfer under activity A4 shall not exceed 10,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Waste Code</b>	<b>Description</b>
<b>16</b>	<b>Wastes not otherwise specified in the list</b>
<b>16 01</b>	<b>end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)</b>
16 01 04*	end-of-life vehicles
16 01 07*	oil filters
<b>16 02</b>	<b>wastes from electrical and electronic equipment</b>
16 02 13*	discarded equipment containing hazardous components other than those mentioned in 16 02 09 to 16 02 12
16 02 15*	hazardous components removed from discarded equipment
<b>16 06</b>	<b>batteries and accumulators</b>
16 06 01*	lead batteries
16 06 02*	Ni-Cd batteries
16 06 03*	mercury-containing batteries
16 06 06*	separately collected electrolyte from batteries and accumulators
<b>19</b>	<b>Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use</b>
<b>19 04</b>	<b>vitrified waste and wastes from vitrification</b>
19 04 02*	fly ash and other flue-gas treatment wastes
19 04 03*	non-vitrified solid phase
<b>19 12</b>	<b>wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified</b>
19 12 11*	hazardous glass only
<b>20</b>	<b>Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions</b>
<b>20 01</b>	<b>separately collected fractions (except 15 01)</b>
20 01 21*	fluorescent tubes and other mercury-containing waste
20 01 33*	batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components

<b>Table S2.6 Waste types and quantities for green waste transfer (Activity A5)</b>	
<b>Maximum quantity</b>	The total quantity of green waste to be accepted for bulking and transfer under activity A5 shall not exceed 15,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Exclusions</b>	<b>Exclusions</b> Wastes having any of the following characteristics shall not be accepted: - wastes that are malodorous
<b>Waste Code</b>	<b>Description</b>
<b>02</b>	<b>Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing</b>
<b>02 01</b>	<b>wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing</b>
02 01 03	plant-tissue waste
02 01 07	wastes from forestry
<b>03</b>	<b>Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard</b>
<b>03 01</b>	<b>wastes from wood processing and the production of panels and furniture</b>
03 01 01	waste bark and cork
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04
<b>19</b>	<b>Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use</b>
<b>19 05</b>	<b>wastes from aerobic treatment of solid wastes</b>
19 05 03	off-specification compost
<b>19 12</b>	<b>wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified</b>
19 12 07	wood other than that mentioned in 19 12 06
<b>20</b>	<b>Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions</b>
<b>20 02</b>	<b>garden and park wastes (including cemetery waste)</b>
20 02 01	biodegradable waste
<b>20 03</b>	<b>other municipal wastes</b>
20 03 02	waste from markets

<b>Table S2.7 Waste types and quantities for Food and Co-Mingled Food/Green Waste Transfer (Activity A6)</b>	
<b>Maximum quantity</b>	The total quantity of food waste to be accepted for bulking and transfer under activity A6 shall not exceed 15,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Exclusions</b>	<b>Exclusions</b> Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>- wastes that are liquids</li> <li>- wastes that are malodorous</li> </ul>
<b>Waste Code</b>	<b>Description</b>
<b>02</b>	<b>Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing</b>
<b>02 01</b>	<b>wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing</b>
02 01 02	animal-tissue waste
02 01 03	plant-tissue waste
02 01 06	animal faeces, urine and manure (including spoiled straw) only
02 01 07	wastes from forestry (biodegradable only)
02 01 99	wastes not otherwise specified (spent mushroom compost and fully biodegradable bedding only)
<b>02 02</b>	<b>wastes from the preparation and processing of meat, fish and other foods of animal origin</b>
02 02 01	sludges from washing and cleaning (biodegradable only)
02 02 02	animal-tissue waste
02 02 03	materials unsuitable for consumption or processing
<b>02 03</b>	<b>wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation</b>
02 03 01	sludges from washing, cleaning, peeling, centrifuging and separation
02 03 04	materials unsuitable for consumption or processing (biodegradable only)
<b>02 05</b>	<b>wastes from the dairy products industry</b>
02 05 01	materials unsuitable for consumption or processing (biodegradable only)
<b>02 07</b>	<b>wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)</b>
02 07 01	wastes from washing, cleaning and mechanical reduction of raw materials (biodegradable only)
02 07 02	wastes from spirits distillation (biodegradable only)
02 07 04	materials unsuitable for consumption or processing (biodegradable only)
02 07 99	wastes not otherwise specified (malt husks, malt sprouts, yeast and yeast-like residues only)
<b>03</b>	<b>Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard</b>
<b>03 01</b>	<b>wastes from wood processing and the production of panels and furniture</b>
03 01 01	waste bark and cork
03 01 05	sawdust, shavings, cuttings, wood and particle board other than those mentioned in 03 01 04

<b>Table S2.7 Waste types and quantities for Food and Co-Mingled Food/Green Waste Transfer (Activity A6)</b>	
<b>Maximum quantity</b>	The total quantity of food waste to be accepted for bulking and transfer under activity A6 shall not exceed 15,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Exclusions</b>	<b>Exclusions</b> Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>- wastes that are liquids</li> <li>- wastes that are malodorous</li> </ul>
<b>Waste Code</b>	<b>Description</b>
<b>03 03</b>	<b>wastes from pulp, paper and cardboard production and processing</b>
03 03 01	waste bark and wood
03 03 10	fibre rejects, fibre-, filler- and coating-sludges from mechanical separation
03 03 11	sludges from on-site effluent treatment other than those mentioned in 03 03 10
<b>04</b>	<b>Wastes from the leather, fur and textile industries</b>
<b>04 01</b>	<b>wastes from the leather and fur industry</b>
04 01 01	fleshings and lime split wastes
<b>04 02</b>	<b>wastes from the textile industry</b>
04 02 10	organic matter from natural products (un-dyed and untreated only)
04 02 21	Wastes from unprocessed textile fibres (biodegradable materials only)
<b>07</b>	<b>Wastes from organic chemical processes</b>
<b>07 02</b>	<b>wastes from the MFSU of plastics, synthetic rubber and man-made fibres</b>
07 02 13	waste plastic (compostable plastics only, unused and uncontaminated excess production only)
<b>15</b>	<b>Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified</b>
<b>15 01</b>	<b>packaging (including separately collected municipal packaging waste)</b>
15 01 01	paper and cardboard packaging (excluding veneers, plastic coatings or laminates)
15 01 02	plastic packaging (compostable plastics only)
15 01 03	wooden packaging
15 01 05	composite packaging (only biodegradable organic packaging)
15 01 09	textile packaging (made entirely from biodegradable fibres only)
<b>16</b>	<b>Wastes not otherwise specified in the list</b>
<b>16 10</b>	<b>aqueous liquid wastes destined for off-site treatment</b>
16 10 02	liquor/leachate from a composting process that accepts waste input types listed in this table only
<b>17</b>	<b>Construction and demolition wastes (including excavated soil from contaminated sites)</b>
<b>17 02</b>	<b>wood, glass and plastic</b>
17 02 01	wood
<b>17 05</b>	<b>soil (including excavated soil from contaminated sites), stones and dredging spoil</b>
17 05 06	dredging spoil other than those mentioned in 17 05 05 (from inland waters only)

<b>Table S2.7 Waste types and quantities for Food and Co-Mingled Food/Green Waste Transfer (Activity A6)</b>	
<b>Maximum quantity</b>	The total quantity of food waste to be accepted for bulking and transfer under activity A6 shall not exceed 15,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Exclusions</b>	<b>Exclusions</b> Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>- wastes that are liquids</li> <li>- wastes that are malodorous</li> </ul>
<b>Waste Code</b>	<b>Description</b>
<b>19</b>	<b>Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use</b>
<b>19 02</b>	<b>wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)</b>
19 02 03	premixed wastes composed only of non-hazardous wastes (waste types listed in this table only)
19 02 06	sludges from physico/chemical treatment other than those mentioned in 19 02 05 (only if derived solely from physical treatment and/or pH adjustment of waste input types listed in this table)
<b>19 05</b>	<b>wastes from aerobic treatment of solid wastes</b>
19 05 03	off-specification compost (from a composting process that accepts waste input types listed in this table)
19 05 99	Wastes not otherwise specified. liquor/leachate from a composting process that accepts only the waste input types allowed by PAS100 Quality Protocol;
<b>19 06</b>	<b>wastes from anaerobic treatment of waste</b>
19 06 03	liquor from anaerobic treatment of municipal waste (derived from source segregated municipal waste only)
19 06 04	digestate from anaerobic treatment of municipal waste (derived from source segregated municipal waste only)
19 06 05	liquor from anaerobic treatment of animal and vegetable waste
19 06 06	digestate from anaerobic treatment of animal and vegetable waste
<b>19 09</b>	<b>wastes from the preparation of water intended for human consumption or water for industrial use</b>
19 09 01	solid waste from primary filtration and screenings
<b>19 12</b>	<b>wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified</b>
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11 (and only including wastes types listed in this table)
<b>20</b>	<b>Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions</b>
<b>20 01</b>	<b>separately collected fractions (except 15 01)</b>
20 01 01	paper and cardboard (excluding veneers, plastic coatings or laminates)
20 01 08	biodegradable kitchen and canteen waste
20 01 25	edible oil and fat
20 01 38	wood other than that mentioned in 20 01 37

<b>Table S2.7 Waste types and quantities for Food and Co-Mingled Food/Green Waste Transfer (Activity A6)</b>	
<b>Maximum quantity</b>	The total quantity of food waste to be accepted for bulking and transfer under activity A6 shall not exceed 15,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Exclusions</b>	<b>Exclusions</b> Wastes having any of the following characteristics shall not be accepted: <ul style="list-style-type: none"> <li>- wastes that are liquids</li> <li>- wastes that are malodorous</li> </ul>
<b>Waste Code</b>	<b>Description</b>
20 01 39	plastics (compostable plastics only)
<b>20 02</b>	<b>garden and park wastes (including cemetery waste)</b>
20 02 01	biodegradable waste
20 02 03	other non-biodegradable wastes
<b>20 03</b>	<b>other municipal wastes</b>
20 03 01	mixed municipal waste, as allowed by PAS100 Quality Protocol.
20 03 02	waste from markets (biodegradable only)

<b>Table S2.8 Waste types and quantities for aqueous liquid storage (Activity A7)</b>	
<b>Maximum quantity</b>	The total quantity of aqueous liquid to be accepted for storage and transfer under activity A7 shall not exceed 5,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Waste Code</b>	<b>Description</b>
<b>16</b>	<b>Other wastes from industrial processes</b>
<b>16 10</b>	<b>Aqueous liquids destined for off-site treatment</b>
16 10 02	aqueous liquid wastes other than those mentioned in 16 10 01

<b>Table S2.9 Permitted waste types and quantities for clinical waste transfer (Activity A8)</b>	
<b>Maximum quantity</b>	The total quantity of waste accepted at the site for the above activity shall be less than 20,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Waste code</b>	<b>Description</b>
<b>09</b>	<b>Wastes from the photographic industry</b>
<b>09 01</b>	<b>wastes from the photographic industry</b>
09 01 01*	water-based developer and activator solutions
09 01 02*	water-based offset plate developer solutions
09 01 03*	solvent-based developer solutions
09 01 04*	fixer solutions
09 01 05*	bleach solutions and bleach fixer solutions
09 01 07	photographic film and paper containing silver or silver compounds
09 01 08	photographic film and paper free of silver or silver compounds
<b>18</b>	<b>Wastes from human or animal health care and/or related research (except kitchen and restaurant wastes not arising from immediate health care)</b>

<b>Table S2.9 Permitted waste types and quantities for clinical waste transfer (Activity A8)</b>	
<b>Maximum quantity</b>	The total quantity of waste accepted at the site for the above activity shall be less than 20,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Waste code</b>	<b>Description</b>
<b>18 01</b>	<b>wastes from natal care, diagnosis, treatment or prevention of disease in humans</b>
18 01 01	non-infectious sharps, not contaminated with chemicals or medicines
18 01 03*	infectious waste, not contaminated with chemicals or medicines (may contain sharps) infectious anatomical waste, not chemically preserved infectious gypsum wastes (for example, plaster casts and moulds)
18 01 04	non-infectious offensive waste – human healthcare non-infectious gypsum wastes (for example, plaster casts and moulds)
18 01 06*	chemicals consisting of or containing hazardous substances
18 01 07	chemicals other than those mentioned in 18 01 06
18 01 08*	cytotoxic and cytostatic medicines
18 01 09	other waste medicines, excluding cytotoxic and cytostatic medicines – human healthcare
18 01 10*	amalgam waste from dental care
<b>18 02</b>	<b>wastes from research, diagnosis, treatment or prevention of disease involving animals</b>
18 02 01	non-infectious sharps, not contaminated with chemicals or medicines
18 02 02*	infectious waste, not contaminated with chemicals or medicines (may contain sharps) infectious anatomical waste, not chemically preserved infectious gypsum wastes (for example, plaster casts and moulds)
18 02 03	non-infectious anatomical waste, not chemically preserved non-infectious offensive waste non-infectious gypsum wastes (for example, plaster casts and moulds)
18 02 05*	chemicals consisting of or containing hazardous substances
18 02 06	chemicals other than those mentioned in 18 02 05
18 02 07*	cytotoxic and cytostatic medicines
18 02 08	other waste medicines, excluding cytotoxic and cytostatic
<b>20</b>	<b>Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions</b>
<b>20 01</b>	<b>separately collected fractions (except 15 01)</b>
20 01 31*	cytotoxic and cytostatic medicines – municipal, separately collected fractions not from healthcare or research-related sources
20 01 32	other waste medicines, excluding cytotoxic and cytostatic medicines – municipal, separately collected fractions not from healthcare or research-related sources

<b>Table S2.9 Permitted waste types and quantities for clinical waste transfer (Activity A8)</b>	
<b>Maximum quantity</b>	The total quantity of waste accepted at the site for the above activity shall be less than 20,000 tonnes a year. Total capacity for the site shall not exceed 245,000 tonnes per annum.
<b>Waste code</b>	<b>Description</b>
20 01 99	non-infectious offensive waste – municipal, separately collected fractions not from healthcare or research-related sources, consisting of nappies and absorbent hygiene products (AHPs) only.

## Schedule 3 – Emissions and monitoring

Table S3.1 Point Source emissions to water (other than sewer) and land – emission limits and monitoring requirements						
Emission point ref. & location	Parameter	Source	Limit (incl. unit)	Reference Period	Monitoring frequency	Monitoring standard or method
W1 on site plan in schedule 7 emission to the Swale	Site surface water run-off from non-operational areas and roofs and treated effluent from the on-site sewage treatment plant	Clean, uncontaminated site surface and roof water and treated sewage effluent in compliance with discharge consent P.21638/K/SW/07	In compliance with discharge consent P.21638/K/SW/07	--	Weekly	Visual assessment – no visible oil or grease

## **Schedule 4 – Reporting**

There is no reporting under this schedule.

## Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

### Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

<b>(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution</b>	
<b>To be notified within 24 hours of detection</b>	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

<b>(b) Notification requirements for the breach of a limit</b>	
<b>To be notified within 24 hours of detection unless otherwise specified below</b>	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	

<b>(b) Notification requirements for the breach of a limit</b>	
<b>To be notified within 24 hours of detection unless otherwise specified below</b>	
Measures taken, or intended to be taken, to stop the emission	

<b>Time periods for notification following detection of a breach of a limit</b>	
<b>Parameter</b>	<b>Notification period</b>

<b>(c) Notification requirements for the detection of any significant adverse environmental effect</b>	
<b>To be notified within 24 hours of detection</b>	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

## Part B – to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

<b>Name*</b>	
<b>Post</b>	
<b>Signature</b>	
<b>Date</b>	

\* authorised to sign on behalf of the operator

## Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“Annex I” means Annex I to the Waste Framework Directive.

“Annex II” means Annex II to the Waste Framework Directive.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“baling” means baling that utilises a hydraulic machine that using compressive forces compacts various materials into regular-shaped dense bales (typically a cube). Bales may be belted with straps or steel wire to keep the bale in its compacted state; although for most metal bales this is not necessary. Baled scrap metal may be easier to handle, store and transport than loose scrap.

“best available treatment, recovery and recycling techniques” shall have the meaning given to it in the document published jointly by the Department for Environment, Food and Rural Affairs, the Welsh Assembly Government and the Scottish Executive on 27th November 2006, entitled “Guidance on Best Available Treatment, Recovery and Recycling Techniques (BATRRT) and Treatment of Waste Electrical and Electronic Equipment (WEEE).

“building” means a construction that has the objective of providing sheltering cover and minimising emissions of noise, particulate matter, odour and litter.

“controlled substances” means chlorofluorocarbons, other fully halogenated chlorofluorocarbons, halons, carbon tetrachloride, 1,1,1-trichloroethane, methyl bromide, hydrobromofluorocarbons and hydrochlorofluorocarbons listed in Annex I of Regulation (EC) No 2037/2000 of the European Parliament and of the Council of 29 June 2000 on substances that deplete the ozone layer, including their isomers, whether alone or in a mixture, and whether they are virgin, recovered, recycled or reclaimed. This definition shall not cover any controlled substance which is in a manufactured product other than a container used for the transportation or storage of that substance, or insignificant quantities of any controlled substance, originating from inadvertent or coincidental production during a manufacturing process, from unreacted feedstock, or from use as a processing agent which is present in chemical substances as trace impurities, or that is emitted during product manufacture or handling.

“D” means a disposal operation provided for in Annex I to the Waste Framework Directive.

“emissions to land” includes emissions to groundwater.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission or background concentration limit.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“groundwater protection zones 1 and 2” have the meaning given in the document titled "Groundwater Protection: Policy and Practice" published by the Environment Agency in 2006.

“Hazardous property” has the meaning in Annex III of the Waste Framework Directive.

“Hazardous waste” has the meaning given in the Hazardous Waste (England and Wales) Regulations 2005.

“Industry Standard Protocol” means “A standardised protocol for the monitoring of bioaerosols at open composting facilities” published by the Association for Organics Recycling and developed in conjunction with the Environment Agency.

“List of Wastes” means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste.

“MCERTS” means the Environment Agency’s Monitoring Certification Scheme.

“ozone-depleting substances” “ODS” means “controlled substances” contained in refrigeration, air-conditioning and heat pump equipment, equipment containing solvents, fire protection systems and fire extinguishers.

“pests” means birds, vermin and insects.

“quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“R” means a recovery operation provided for in Annex II to the Waste Framework Directive.

“Waste code” means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk.

“year” means calendar year ending 31 December.

When the following terms appear in the waste code list in Schedule 2, tables S2.2 to S2.9, for those tables, they have the meaning given below:

“hazardous substance” means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008.

“heavy metal” means any compound of antimony, arsenic, cadmium, chromium (VI), copper, lead, mercury, nickel, selenium, tellurium, thallium and tin, as well as these materials in metallic form, as far as these are classified as hazardous substances.

“PCBs” means

- a. polychlorinated biphenyls
- b. polychlorinated terphenyls
- c. monomethyl-tetrachlorodiphenyl methane, Monomethyl-dichloro-diphenyl methane, Monomethyldibromo-diphenyl methane
- d. any mixture containing any of the above mentioned substances in a total of more than 0,005 %by weight.

“transition metals” means any of the following metals: any compound of scandium, vanadium, manganese, cobalt, copper, yttrium, niobium, hafnium, tungsten, titanium, chromium, iron, nickel, zinc, zirconium, molybdenum and tantalum, as well as these materials in metallic form, as far as these are classified as hazardous substances.

“sealed drainage system” in relation to an impermeable surface, means a drainage system with impermeable components which does not leak and which will ensure that:

- no liquids will run off the surface otherwise than via the system
- all liquids entering the system are collected in a sealed sump, except where liquids may be lawfully discharged.

“separation” means separating wastes into different material types, components and grades.

“shearing” means utilises a range of hydraulic machinery that comprise hard steel blades which cut metals into manageable sizes. It may be hand-held, static or attached to mobile plant (e.g. cranes).

“sorting” means sorting that may be undertaken by hand or machinery. Sorting enables materials to be processed and recycled appropriately. It may involve separation of different waste types or the separation of different metal types including different ferrous metals, non-ferrous metals and non-metallic materials (e.g. paper and plastic). The sorted metals are graded by visual inspection, supplemented by chemical and other laboratory tests. The physical sorting may be assisted by conveyors and electromagnets.

‘treatment in shredders’ includes treatment in plant such as hammer mills, chain mills, rotary shears and other similar equipment that is designed to fragment metal into smaller pieces to allow the separation of the metallic and the non-metallic fractions. It does not include shearers and guillotines which utilise a range of hydraulic machinery that comprise hard steel blades to cut metals into manageable sizes.’

“Waste code” means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk.

“Waste Framework Directive” or “WFD” means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

“stabilisation” means processes which change the hazardousness of the constituents in the waste and transform hazardous waste into non-hazardous waste.

“solidification” means processes which only change the physical state of the waste by using additives without changing the chemical properties of the waste.

“partly stabilised wastes” means wastes containing, after the stabilisation process, hazardous constituents which have not been changed completely into non-hazardous constituents and could be released into the environment in the short, middle or long term.

# Schedule 7 – Site plan



© Crown Copyright and Database Rights 2025 OS AC0000807064

END OF PERMIT